



Chester County Health Department Food Establishment Inspection Scores

2017 D & J Enterprises Inc

801 E Lincoln Hwy
Coatesville

Inspection Date: **1/11/2013**

Critical

0

No Critical Violations

Non-Critical

1

Floors/walls/ceilings found unclean, in disrepair

Score 99



Chester County Health Department Food Establishment Inspection Scores

A Catered Affair/ New Bolton Center

382 W Street Rd
Kennett Square

Inspection Date: 1/8/2013

Critical

1

Food not protected from contamination/cross contamination

Non-Critical

4

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Single-service items being re-used; improper handling; improper
storage

Plumbing leaks or disrepair found

Premises found unclean; unnecessary items found on premises

Score 90



Chester County Health Department Food Establishment Inspection Scores

ACAC Café

1130 Mcdermott Dr
West Chester

Inspection Date: **1/2/2013**

Critical

0

No Critical Violations

Non-Critical

6

Food containers improperly labeled

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Food service equipment improperly stored & handled

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Plumbing leaks or disrepair found

Score 92



Chester County Health Department Food Establishment Inspection Scores

Anthony's Pizzeria

410 W Lincoln Hw
Exton

Inspection Date: 1/11/2013

Critical

0

No Critical Violations

Non-Critical

1

License to operate expired; renewal application overdue; license
not displayed

Score 99



Chester County Health Department Food Establishment Inspection Scores

Appetites on Main

286 Main St
Exton

Inspection Date: **1/15/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Bethel AME Church

334 E Miner St
West Chester

Inspection Date: 1/18/2013

Critical

0

No Critical Violations

Non-Critical

1

Dishwashing facilities improperly designed, constructed,
maintained

Score 99



Chester County Health Department Food Establishment Inspection Scores

Black Lab Bistro

248 Bridge St
Phoenixville

Inspection Date: 1/2/2013

Critical

1

Presence of rodents/insects; harborage; breeding; outer openings not protected

Non-Critical

5

Non-food-contact surfaces of equipment found unclean; improperly maintained

Dishwashing facilities improperly designed, constructed, maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Plumbing leaks or disrepair found

Score 89



Chester County Health Department Food Establishment Inspection Scores

Boy Scout Troop 51 Mobile Food Truck

Forks Of The Brandywine Pb Ch
Glenmoore

Inspection Date: **1/18/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Bridge Street Chocolates

158 Bridge St
Phoenixville

Inspection Date: **1/3/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Brook Hospitality Inc.

4690 Horseshoe Pk
Honey Brook

Inspection Date: 1/3/2013

Critical

3

Food service equipment and utensils not properly washed, rinsed, sanitized

Food facilities not maintaining proper food temperatures

Hot & cold running water not provided; water from an unapproved source

Non-Critical

6

Non-food-contact surfaces of equipment found unclean; improperly maintained

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Floors/walls/ceilings found unclean, in disrepair

Light fixtures unshielded

Plumbing leaks or disrepair found

Premises found unclean; unnecessary items found on premises

Score 79



Chester County Health Department Food Establishment Inspection Scores

Burger King #10390

1265 Horseshoe Pk
Downingtown

Inspection Date: **1/14/2013**

Critical

0

No Critical Violations

Non-Critical

2

Restrooms/Handwashing facilities found unclean; not provided
with necessary supplies

Plumbing leaks or disrepair found

Score 97



Chester County Health Department Food Establishment Inspection Scores

Burger King #2336

3612 Lincoln Hwy
Thorndale

Inspection Date: **1/7/2013**

Critical

0

No Critical Violations

Non-Critical

4

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Floors/walls/ceilings found unclean, in disrepair

Garbage and refuse containers not covered; inadequate number;
not vector-proof

Plumbing leaks or disrepair found

Score 94



Chester County Health Department Food Establishment Inspection Scores

Burger King #3191

410 S High St
West Chester

Inspection Date: **1/11/2013**

Critical

0

No Critical Violations

Non-Critical

5

Food service equipment does not meet current general standards

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Floors/walls/ceilings found unclean, in disrepair

Light fixtures unshielded

Plumbing leaks or disrepair found

Score 94



Chester County Health Department Food Establishment Inspection Scores

Carmine's Parkside Pizza

Box 8

Uwchland

Inspection Date: 1/17/2013

Critical

0

No Critical Violations

Non-Critical

5

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Dishwashing facilities improperly designed, constructed,
maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Light fixtures unshielded

Score 95



Chester County Health Department Food Establishment Inspection Scores

Cedar's Café

309 Lancaster Av
Frazer

Inspection Date: **1/4/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Chester County Family Academy

323 E Gay St
West Chester

Inspection Date: **1/2/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Chester County Juvenile Detention Center (Aramark)

501 S Wawaset Rd
West Chester

Inspection Date: 1/11/2013

Critical

0

No Critical Violations

Non-Critical

2

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Plumbing leaks or disrepair found

Score 97



Chester County Health Department Food Establishment Inspection Scores

Chester County Prison Work Release (Aramark)

501 S Wawaset Rd
West Chester

Inspection Date: 1/11/2013

Critical

0

No Critical Violations

Non-Critical

4

Food service equipment improperly stored & handled

Food service equipment does not meet current general standards

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Plumbing leaks or disrepair found

Score 95



Chester County Health Department Food Establishment Inspection Scores

Chick-fil-a

845 E Lancaster Av
Downingtown

Inspection Date: **1/7/2013**

Critical

1

Food did not meet temperature requirements

Non-Critical

3

Food service equipment does not meet current general standards

Plumbing leaks or disrepair found

Miscellaneous

Score 91



Chester County Health Department Food Establishment Inspection Scores

Children's Youth Women Alliance

423 E Lincoln Hwy
Coatesville

Inspection Date: **1/18/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Ciabatta Ristorante and Pizza

446 Lancaster Av
Frazer

Inspection Date: 1/7/2013

Critical

1

Food not protected from contamination/cross contamination

Non-Critical

6

Food-contact surfaces of equipment found unclean; in disrepair;
not easily cleanable

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Plumbing leaks or disrepair found

License to operate expired; renewal application overdue; license
not displayed

Score 87



Chester County Health Department Food Establishment Inspection Scores

Cocco's Pizza

303 W Boot Rd
West Chester

Inspection Date: **1/3/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Cocco's Pizzeria

261 Norwood Rd
Downingtown

Inspection Date: **1/8/2013**

Critical

1

Poisonous and toxic materials improperly used, stored, labeled;
not separated from food

Non-Critical

4

Single-service items being re-used; improper handling; improper
storage

Dishwashing facilities improperly designed, constructed,
maintained

Food service equipment does not meet current general standards

Improper ventilation found

Score 91



Chester County Health Department Food Establishment Inspection Scores

Country Bagel Bakery

145 E Gay St
West Chester

Inspection Date: 1/11/2013

Critical

0

No Critical Violations

Non-Critical

2

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Light fixtures unshielded

Score 98



Chester County Health Department Food Establishment Inspection Scores

Country Butcher Fine Foods Inc.

145 S Walnut St
Kennett Square

Inspection Date: **1/8/2013**

Critical

1

Restroom or handwashing facilities not provided, accessible

Non-Critical

1

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Score 95



Chester County Health Department Food Establishment Inspection Scores

Dairy Queen - Coatesville

1620 Lincoln Hw
Coatesville

Inspection Date: 1/15/2013

Critical

0

No Critical Violations

Non-Critical

1

Light fixtures unshielded

Score 99



Chester County Health Department Food Establishment Inspection Scores

Dixie Picnic (Soboxco Enterprise LLC)

215 Lancaster Av., Space #c-7
Frazer

Inspection Date: **1/3/2013**

Critical

0

No Critical Violations

Non-Critical

3

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Food service equipment does not meet current general standards

Light fixtures unshielded

Score 97



Chester County Health Department Food Establishment Inspection Scores

Domino's Pizza

490-1 Lancaster Av
Frazer

Inspection Date: **1/3/2013**

Critical

2

Food received in unsound condition; spoilage found; food from an unapproved source

Presence of rodents/insects; harborage; breeding; outer openings not protected

Non-Critical

3

Floors/walls/ceilings found unclean, in disrepair

Plumbing leaks or disrepair found

Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 86



Chester County Health Department Food Establishment Inspection Scores

Dunkin Donuts

153 Pottstown Pk
Chester Springs

Inspection Date: **1/23/2013**

Critical

0

No Critical Violations

Non-Critical

2

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Operating without a Certified Food Manager (CFM); CFM
certificate not displayed

Score 98



Chester County Health Department Food Establishment Inspection Scores

Eagles Club of West Chester

206 N Church St
West Chester

Inspection Date: **1/2/2013**

Critical

0

No Critical Violations

Non-Critical

1

Restrooms/Handwashing facilities found unclean; not provided
with necessary supplies

Score 99



Chester County Health Department Food Establishment Inspection Scores

El Mercadito

72 Baltimore Pk
Avondale

Inspection Date: **1/16/2013**

Critical

4

Food received in unsound condition; spoilage found; food from an unapproved source

Food not protected from contamination/cross contamination

Food facilities not maintaining proper food temperatures

Restroom or handwashing facilities not provided, accessible

Non-Critical

4

Food containers improperly labeled

Non-food-contact surfaces of equipment found unclean; improperly maintained

Floors/walls/ceilings found unclean, in disrepair

Premises found unclean; unnecessary items found on premises

Score **77**



Chester County Health Department Food Establishment Inspection Scores

Elverson Deli

10 E Main St
Elverson

Inspection Date: **1/8/2013**

Critical

0

No Critical Violations

Non-Critical

2

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Miscellaneous

Score 98



Chester County Health Department Food Establishment Inspection Scores

Fern Hill Elementary School (Aramark)

915 Lincoln Av
West Chester

Inspection Date: **1/3/2013**

Critical

0

No Critical Violations

Non-Critical

2

Floors/walls/ceilings found unclean, in disrepair

Operating without a Certified Food Manager (CFM); CFM
certificate not displayed

Score 98



Chester County Health Department Food Establishment Inspection Scores

Fiorello's Café

730 E Gay St
West Chester

Inspection Date: **1/3/2013**

Critical

3

Food not protected from contamination/cross contamination

Food not thawed properly

Improper handwashing techniques by food workers

Non-Critical

5

Thermometers not provided

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Dishwashing facilities improperly designed, constructed,
maintained

Food service equipment does not meet current general standards

Plumbing leaks or disrepair found

Score 80



Chester County Health Department Food Establishment Inspection Scores

Flippin Pizza

102 Village Of Eland
Phoenixville

Inspection Date: **1/4/2013**

Critical

2

Food not protected from contamination/cross contamination
Hot & cold running water not provided; water from an unapproved source

Non-Critical

2

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies
Food service equipment improperly stored & handled

Score 88



Chester County Health Department Food Establishment Inspection Scores

Foster Boys Pizza

226 E Lancaster Av
Downingtown

Inspection Date: **1/8/2013**

Critical

2

Food service equipment and utensils not properly washed, rinsed, sanitized

Poisonous and toxic materials improperly used, stored, labeled; not separated from food

Non-Critical

3

Dishwashing facilities improperly designed, constructed, maintained

Food service equipment does not meet current general standards

Garbage and refuse containers not covered; inadequate number; not vector-proof

Score 86



Chester County Health Department Food Establishment Inspection Scores

Gallagher's Country Tavern

3639 Schuylkill Rd
Spring City

Inspection Date: 1/2/2013

Critical

0

No Critical Violations

Non-Critical

4

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable

Non-food-contact surfaces of equipment found unclean; improperly maintained

Floors/walls/ceilings found unclean, in disrepair

Score 95



Chester County Health Department Food Establishment Inspection Scores

General Wayne Elementary School

20 Devon Rd
Malvern

Inspection Date: **1/9/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Glen Acres Elementary School (Aramark)

1150 Delancey PI
West Chester

Inspection Date: **1/3/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Hillside Bulk Foods

1403 W Kings Hwy
Gap

Inspection Date: **1/7/2013**

Critical

1

Food received in unsound condition; spoilage found; food from an unapproved source

Non-Critical

1

Food containers improperly labeled

Score 93



Chester County Health Department Food Establishment Inspection Scores

Kennett Area Senior Center

427 S Walnut St
Kennett Square

Inspection Date: **1/15/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Kennett Masonic Temple

121 Center St
Kennett Square

Inspection Date: **1/7/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Kildare's

18-22 W Gay St
West Chester

Inspection Date: 1/22/2013

Critical

3

- Food not protected from contamination/cross contamination
- Food service equipment and utensils not properly washed, rinsed, sanitized
- Hot & cold running water not provided; water from an unapproved source

Non-Critical

10

- Restrooms/Handwashing facilities found unclean; not provided with necessary supplies
- Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable
- Non-food-contact surfaces of equipment found unclean; improperly maintained
- Dishwashing facilities improperly designed, constructed, maintained
- Food service equipment does not meet current general standards
- Floors/walls/ceilings not smooth, easily cleanable, non-absorbent
- Floors/walls/ceilings found unclean, in disrepair
- Lighting inadequate
- Light fixtures unshielded
- Plumbing leaks or disrepair found

Score 73



Chester County Health Department Food Establishment Inspection Scores

King Bagel

3941 Lincoln Highway
Downingtown

Inspection Date: **1/4/2013**

Critical

1

Food facilities not maintaining proper food temperatures

Non-Critical

5

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies
Food service equipment does not meet current general standards
Floors/walls/ceilings not smooth, easily cleanable, non-absorbent
Lighting inadequate
Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 91



Chester County Health Department Food Establishment Inspection Scores

La Bamba BYOB

39 W Gay St
West Chester

Inspection Date: 1/24/2013

Critical

2

Food not protected from contamination/cross contamination

Food service equipment and utensils not properly washed, rinsed, sanitized

Non-Critical

7

Non-food-contact surfaces of equipment found unclean; improperly maintained

Dishwashing facilities improperly designed, constructed, maintained

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Floors/walls/ceilings found unclean, in disrepair

Lighting inadequate

Plumbing leaks or disrepair found

License to operate expired; renewal application overdue; license not displayed

Score 82



Chester County Health Department Food Establishment Inspection Scores

La Pena Mexicana Taqueria Inc

609 W Cypres St
Kennet Square

Inspection Date: **1/3/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Liones Restaurant

102 Wallace Av
Downingtown

Inspection Date: **1/14/2013**

Critical

0

No Critical Violations

Non-Critical

5

- Restrooms/Handwashing facilities found unclean; not provided with necessary supplies
- Single-service items being re-used; improper handling; improper storage
- Food service equipment does not meet current general standards
- Floors/walls/ceilings found unclean, in disrepair
- Plumbing leaks or disrepair found

Score 94



Chester County Health Department Food Establishment Inspection Scores

Lorenzo's Steaks & Hoagies

216 E Market St
West Chester

Inspection Date: **1/24/2013**

Non-Critical

1

Dishwashing facilities improperly designed, constructed,
maintained

Score 99



Chester County Health Department Food Establishment Inspection Scores

MacKenzie Brew House

324 W Swedesford Rd
Berwyn

Inspection Date: **1/10/2013**

Critical

2

Food not protected from contamination/cross contamination

Food service equipment and utensils not properly washed, rinsed,
sanitized

Non-Critical

2

Improper handling of food/ice

Restrooms/Handwashing facilities found unclean; not provided
with necessary supplies

Score **87**



Chester County Health Department Food Establishment Inspection Scores

Malvern Pizza Inc

19 E King St
Malvern

Inspection Date: **1/4/2013**

Critical

2

Food not protected from contamination/cross contamination

Food service equipment and utensils not properly washed, rinsed, sanitized

Non-Critical

5

Thermometers not provided

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Food service equipment does not meet current general standards

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Floors/walls/ceilings found unclean, in disrepair

Score 85



Chester County Health Department Food Establishment Inspection Scores

Mantra Café Inc.

269 Exton Square Pw
Exton

Inspection Date: **1/7/2013**

Critical

0

No Critical Violations

Non-Critical

2

Restrooms/Handwashing facilities found unclean; not provided
with necessary supplies

Floors/walls/ceilings found unclean, in disrepair

Score **98**



Chester County Health Department Food Establishment Inspection Scores

Marrone's Deli

101 Prospect Av
West Grove

Inspection Date: **1/2/2013**

Critical

1

Food did not meet temperature requirements

Non-Critical

2

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Dishwashing facilities improperly designed, constructed, maintained

Score 93



Chester County Health Department Food Establishment Inspection Scores

Mexico Lindo Grocery Store

272 E Lincoln Hw
Coatesville

Inspection Date: **1/4/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Midway Grill

704 E Lincoln Hwy
Coatesville

Inspection Date: 1/23/2013

Critical

1

Food did not meet temperature requirements

Non-Critical

4

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Floors/walls/ceilings found unclean, in disrepair

Plumbing leaks or disrepair found

Operating without a Certified Food Manager (CFM); CFM
certificate not displayed

Score 90



Chester County Health Department Food Establishment Inspection Scores

Midway Grill - Thorndale

3235 E Lincoln Hw
Thorndale

Inspection Date: **1/4/2013**

Critical

0

No Critical Violations

Non-Critical

3

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Non-food-contact surfaces of equipment found unclean; improperly maintained

Single-service items being re-used; improper handling; improper storage

Score 97



Chester County Health Department Food Establishment Inspection Scores

National Christian Conference Center

P O Box 340
Valley Forge

Inspection Date: **1/17/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

New Seasons Of Devon

445 N Valley Forge Rd
Devon

Inspection Date: **1/9/2013**

Critical

0

No Critical Violations

Non-Critical

2

Floors/walls/ceilings found unclean, in disrepair

Lighting inadequate

Score 98



Chester County Health Department Food Establishment Inspection Scores

North Brandywine Middle School

256 Reeceville Rd
Coatesville

Inspection Date: **1/2/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Nudy's Café

490 Lancaster Av
Frazer

Inspection Date: **1/8/2013**

Critical

0

No Critical Violations

Non-Critical

4

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Improper ventilation found

Score 96



Chester County Health Department Food Establishment Inspection Scores

Old Country Buffet

1090 E Lancaster Av
Downingtown

Inspection Date: 1/7/2013

Critical

2

Food did not meet temperature requirements

Food service equipment and utensils not properly washed, rinsed, sanitized

Non-Critical

8

Non-food-contact surfaces of equipment found unclean; improperly maintained

Dishwashing facilities improperly designed, constructed, maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Garbage and refuse containers not covered; inadequate number; not vector-proof

Light fixtures unshielded

Plumbing leaks or disrepair found

Improper ventilation found

Score 80



Chester County Health Department Food Establishment Inspection Scores

Papa John's

185 Eagleview Bl
Lionville

Inspection Date: **1/7/2013**

Critical

2

- Food did not meet temperature requirements
- Food facilities not maintaining proper food temperatures

Non-Critical

4

- Non-food-contact surfaces of equipment found unclean; improperly maintained
- Food service equipment does not meet current general standards
- Floors/walls/ceilings not smooth, easily cleanable, non-absorbent
- Plumbing leaks or disrepair found

Score **86**



Chester County Health Department Food Establishment Inspection Scores

Papa John's - West Chester

701 S High St
West Chester

Inspection Date: 1/28/2013

Non-Critical

9

- Restrooms/Handwashing facilities found unclean; not provided with necessary supplies
- Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable
- Non-food-contact surfaces of equipment found unclean; improperly maintained
- Dishwashing facilities improperly designed, constructed, maintained
- Floors/walls/ceilings not smooth, easily cleanable, non-absorbent
- Floors/walls/ceilings found unclean, in disrepair
- Light fixtures unshielded
- Improper ventilation found
- Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 90



Chester County Health Department Food Establishment Inspection Scores

Paradocx Vineyard Tasting Room

879 Baltimore Pk
Kennet Square

Inspection Date: **1/16/2013**

Non-Critical

1

Premises found unclean; unnecessary items found on premises

Score

99



Chester County Health Department Food Establishment Inspection Scores

Pasquale's Pizza Express

1062 W Kings Hwy
Coatesville

Inspection Date: **1/22/2013**

Critical

0

No Critical Violations

Non-Critical

1

Floors/walls/ceilings found unclean, in disrepair

Score 99



Chester County Health Department Food Establishment Inspection Scores

Peace a Pizza

291 Main St
Exton

Inspection Date: **1/11/2013**

Critical

0

No Critical Violations

Non-Critical

1

Operating without a Certified Food Manager (CFM); CFM
certificate not displayed

Score 99



Chester County Health Department Food Establishment Inspection Scores

Play-a-Round Golf

245 Lancaster Av
Frazer

Inspection Date: **1/7/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Plaza Azteca Mexican Restaurant

186 Onix Dr
Kennett Square

Inspection Date: **1/8/2013**

Critical

3

- Food did not meet temperature requirements
- Food not protected from contamination/cross contamination
- Food not thawed properly

Non-Critical

4

- Food containers improperly labeled
- Restrooms/Handwashing facilities found unclean; not provided with necessary supplies
- Dishwashing facilities improperly designed, constructed, maintained
- Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score 81



Chester County Health Department Food Establishment Inspection Scores

Pope John Paul II Catholic Elementary School

2875 Manor Rd
Coatesville

Inspection Date: **1/14/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Rite Aide #1119

644 Lancaster Av
Wayne

Inspection Date: **1/17/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Royer-Greaves School

118 S Valley Rd
Paoli

Inspection Date: **1/15/2013**

Critical

1

Food not protected from contamination/cross contamination

Non-Critical

1

Garbage and refuse containers not covered; inadequate number;
not vector-proof

Score 93



Chester County Health Department Food Establishment Inspection Scores

Ruby Tuesday

471 John Young Wy
Exton

Inspection Date: **1/14/2013**

Critical

1

Food not protected from contamination/cross contamination

Non-Critical

2

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Score **93**



Chester County Health Department Food Establishment Inspection Scores

Ryan's Pub

124 W Gay St
West Chester

Inspection Date: 1/22/2013

Critical

2

Food service equipment and utensils not properly washed, rinsed, sanitized

Presence of rodents/insects; harborage; breeding; outer openings not protected

Non-Critical

11

Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable

Non-food-contact surfaces of equipment found unclean; improperly maintained

Dishwashing facilities improperly designed, constructed, maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Floors/walls/ceilings found unclean, in disrepair

Lighting inadequate

Light fixtures unshielded

Plumbing leaks or disrepair found

Improper ventilation found

Miscellaneous

Score 77



Chester County Health Department Food Establishment Inspection Scores

Sam's Sub Shop

329 E State St
Kennett Square

Inspection Date: **1/4/2013**

Critical

0

No Critical Violations

Non-Critical

1

Food service equipment does not meet current general standards

Score 99



Chester County Health Department Food Establishment Inspection Scores

Saucey Pizzeria

12 E Market St

West Chester

Inspection Date: 1/24/2013

Critical

1

Presence of rodents/insects; harborage; breeding; outer openings not protected

Non-Critical

8

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Non-food-contact surfaces of equipment found unclean; improperly maintained

Dishwashing facilities improperly designed, constructed, maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings not smooth, easily cleanable, non-absorbent

Floors/walls/ceilings found unclean, in disrepair

Improper ventilation found

Miscellaneous

Score 87



Chester County Health Department Food Establishment Inspection Scores

Saxby's Coffee

260 Exton Square Dr
Exton

Inspection Date: **1/7/2013**

Critical

0

No Critical Violations

Non-Critical

1

License to operate expired; renewal application overdue; license not displayed

Score 99



Chester County Health Department Food Establishment Inspection Scores

St Anthony's Lodge

259 W Church St
Downingtown

Inspection Date: **1/4/2013**

Critical

0

No Critical Violations

Non-Critical

5

Dishwashing facilities improperly designed, constructed,
maintained

Food service equipment does not meet current general standards

Lighting inadequate

Light fixtures unshielded

Miscellaneous

Score 95



Chester County Health Department Food Establishment Inspection Scores

St Gabriel's Hall

8900 Gap Newport Pk
Avondale

Inspection Date: **1/3/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

St Joseph's Church

404 Charles St
Coatesville

Inspection Date: **1/4/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Star Social Club

212 E Market St
West Chester

Inspection Date: 1/3/2013

Critical

0

No Critical Violations

Non-Critical

5

Restrooms/Handwashing facilities found unclean; not provided with necessary supplies

Garbage and refuse containers not covered; inadequate number; not vector-proof

License to operate expired; renewal application overdue; license not displayed

Operating without a Certified Food Manager (CFM); CFM certificate not displayed

Premises found unclean; unnecessary items found on premises

Score 94



Chester County Health Department Food Establishment Inspection Scores

Sts Peter & Paul Elementary School (Aramark)

1325 E Boot Rd
West Chester

Inspection Date: **1/7/2013**

Critical

0

No Critical Violations

Non-Critical

1

Operating without a Certified Food Manager (CFM); CFM
certificate not displayed

Score 99



Chester County Health Department Food Establishment Inspection Scores

Subway

159-131 W Lincoln Hw
Exton

Inspection Date: 1/11/2013

Critical

2

Food did not meet temperature requirements

Presence of rodents/insects; harborage; breeding; outer openings
not protected

Non-Critical

1

License to operate expired; renewal application overdue; license
not displayed

Score 89



Chester County Health Department Food Establishment Inspection Scores

Sugartown Elementary School

611 Sugartown Rd
Malvern

Inspection Date: **1/8/2013**

Critical

0

No Critical Violations

Non-Critical

1

Operating without a Certified Food Manager (CFM); CFM
certificate not displayed

Score 99



Chester County Health Department Food Establishment Inspection Scores

Sushi Nami Japanese Restaurant

19 E Lancaster Av
Paoli

Inspection Date: 1/10/2013

Critical

1

Food service equipment and utensils not properly washed, rinsed,
sanitized

Non-Critical

0

No Non-Critical Violations

Score 95



Chester County Health Department Food Establishment Inspection Scores

Taquiria Dos Amigos

136 E Lincoln Hwy
Coatesville

Inspection Date: **1/13/2013**

Critical

0

No Critical Violations

Non-Critical

2

Light fixtures unshielded

Plumbing leaks or disrepair found

Score 97



Chester County Health Department Food Establishment Inspection Scores

Thai L'Elephant

301 Bridge St
Phoenixville

Inspection Date: 1/3/2013

Critical

1

Food not protected from contamination/cross contamination

Non-Critical

3

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Single-service items being re-used; improper handling; improper
storage

Garbage and refuse containers not covered; inadequate number;
not vector-proof

Score 91



Chester County Health Department Food Establishment Inspection Scores

Trader Joe's

171 Swedesford Rd
Wayne

Inspection Date: **1/7/2013**

Critical

1

Hot & cold running water not provided; water from an unapproved source

Non-Critical

1

Floors/walls/ceilings found unclean, in disrepair

Score **94**



Chester County Health Department Food Establishment Inspection Scores

Vano's Pizza and Restaurant

1387 Boot Rd
West Chester

Inspection Date: **1/2/2013**

Critical

1

Food service equipment and utensils not properly washed, rinsed, sanitized

Non-Critical

2

Non-food-contact surfaces of equipment found unclean; improperly maintained

Floors/walls/ceilings found unclean, in disrepair

Score 93



Chester County Health Department Food Establishment Inspection Scores

VFW Post #845

4601 W Lincoln Hwy
Downingtown

Inspection Date: **1/15/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Vickers Tavern

192 Welsh Pool Rd
Lionville

Inspection Date: **1/7/2013**

Critical

0

No Critical Violations

Non-Critical

3

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Score 97



Chester County Health Department Food Establishment Inspection Scores

Wagontown Deli - Pizzeria

691 W Kings Hwy
Coatesville

Inspection Date: 1/14/2013

Critical

0

No Critical Violations

Non-Critical

1

Food service equipment does not meet current general standards

Score 99



Chester County Health Department Food Establishment Inspection Scores

Wasabi Chinese & Japanese Restaurant

686 Downingtown Pk
West Chester

Inspection Date: 1/7/2013

Critical

4

- Food did not meet temperature requirements
- Food not protected from contamination/cross contamination
- Food service equipment and utensils not properly washed, rinsed, sanitized
- Restroom or handwashing facilities not provided, accessible

Non-Critical

6

- Restrooms/Handwashing facilities found unclean; not provided with necessary supplies
- Non-food-contact surfaces of equipment found unclean; improperly maintained
- Dishwashing facilities improperly designed, constructed, maintained
- Food service equipment does not meet current general standards
- Lighting inadequate
- Plumbing leaks or disrepair found

Score 74



Chester County Health Department Food Establishment Inspection Scores

Wawa #205

5 Matthews Rd
Malvern

Inspection Date: **1/3/2013**

Critical

0

No Critical Violations

Non-Critical

3

Non-food-contact surfaces of equipment found unclean;
improperly maintained

Floors/walls/ceilings found unclean, in disrepair

Lighting inadequate

Score 97



Chester County Health Department Food Establishment Inspection Scores

Wawa #34

505 Cypress St
Kennett Square

Inspection Date: **1/14/2013**

Critical

0

No Critical Violations

Non-Critical

2

Improper handling of food/ice

Plumbing leaks or disrepair found

Score 96



Chester County Health Department Food Establishment Inspection Scores

Wawa #8024

210 Kimberton Rd
Phoenixville

Inspection Date: **1/7/2013**

Critical

0

No Critical Violations

Non-Critical

2

Floors/walls/ceilings found unclean, in disrepair

Plumbing leaks or disrepair found

Score 97



Chester County Health Department Food Establishment Inspection Scores

WC Field Hockey Club @ The Training Center

88 Wells Rd
Spring City

Inspection Date: **1/5/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

West Bradford Fire Co

1305 W Strasburg Rd
West Chester

Inspection Date: **1/8/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

West Bradford Sports Club and Grille

1548 Shadyside Rd
West Chester

Inspection Date: **1/9/2013**

Critical

1

Food service equipment and utensils not properly washed, rinsed, sanitized

Non-Critical

6

Food-contact surfaces of equipment found unclean; in disrepair; not easily cleanable

Non-food-contact surfaces of equipment found unclean; improperly maintained

Food service equipment does not meet current general standards

Floors/walls/ceilings found unclean, in disrepair

Light fixtures unshielded

Plumbing leaks or disrepair found

Score **87**



Chester County Health Department Food Establishment Inspection Scores

West End Fire Co #3

134 Strode Av
Coatesville

Inspection Date: **1/14/2013**

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100



Chester County Health Department Food Establishment Inspection Scores

Willie's Family Restaurant

734 E Lincoln Hwy
Coatesville

Inspection Date: 1/23/2013

Critical

0

No Critical Violations

Non-Critical

0

No Non-Critical Violations

Score 100
